

## MSRC

Set of strain relief crimp version consisting of crimp ferrule and two reduction ferrules for various cable diameters

Special crimp type strain relief establishes an ideal coaxial connection of the cable shield to the connector shell for best EMC shielding.

For cable OD: 2.5 - 3.2 mm, 3.3 - 4.4 mm and 4.5 - 6.0 mm

HEX Size/Standard: 6.47 mm / IEC 803


The modular system of the miniCON series offers the possibility to assemble a desired connector from a wide range of various parts. Including additional parts for special versions (e.g. cable connector extension, crimp set, ...).

The miniCON with its flexible and compact design is perfectly suitable for multipin/industrial applications. The rugged all metal miniature connector offers a push-pull locking device and stands out by an excellent cost/performance ratio.

## Features & Benefits

- Easy assembly: contact soldering / crimping in disassembled condition avoids awkward wiring of high density contacts
- Up to 12 contacts selectable
- Push-pull self-locking system
- Rugged, precisely machined all metal design
- Gold plated contacts

## Modular System



## Technical Information

Product	
<b>Title</b>	MSRC
<b>Connection Type</b>	miniCON

Mechanical	
<b>Crimp size</b>	6,47 Hex crimp (shield) acc. IEC 60803 (die designation E)
<b>Wiresize</b>	