



## NP2RX-TIMBRE

Right angle 1/4" 2 pole timbre plug

The characteristic sound of a guitar is influenced to a certain extent by the used instrument cable. Particularly the natural electrical property of guitar cables cause the characteristic cable tone. Neutrik's timbrePLUG provides the possibility to change the timbre of your guitar sound from neutral, clear sound to warm characteristics in 4 steps by turning a knob on the plug. A wide range of new sounds opens.

As brilliant as simple.

### Features & Benefits

- Standard timbre of the cable plus three additional sound characteristics
- Slim right-angle plug with industry proven and reliable chuck type strain relief
- Sleek attractive design for convenient handling
- Gold plug finger, precision machined one piece contacts

### timbrePLUG sound characteristics

### Neutrik timbrePLUG audio test



## Technical Information

Product	
Title	NP2RX-TIMBRE

Electrical	
Contact resistance	- mΩ depends on mating connector
Dielectric strength	100 kVdc
Insulation resistance	> 2 GΩ (initial), ≥ 1 GΩ (after damp heat test)
Rated current per contact	- A depends on mating connector

Mechanical	
Cable O.D.	4 - 7 mm
Lifetime	1000 mating cycles
Wiresize	1 mm <sup>2</sup>
Wiresize	18 AWG

Material	
Insulation	Polyamide (PA 6.6 30% GR)

Environmental	
Temperature range	-20°C to +65 °C